

7. RUBINETTI E COLONNE
TAPS AND TOWERS

RUBINETTI MECCANICI CASA E UFFICIO
MECHANICAL TAPS FOR HOME & OFFICE

Codice articolo Code Descrizione Description €

OI022007 Rubinetto Long Reach 2 vie manopola singola
Long Reach 2 ways tap - single knob



OI021998 Rubinetto prelievo collo di cigno 2 vie
Swan-neck 2 ways tap



OI021992 Rubinetto a 3 vie cromato monocomando made in Italy
Chrome-plated single handle mixer 3 ways tap Made in Italy



OI021994 Miscelatore a 5 vie cromato con canna alta made in Italy
Chrome-plated 5 ways tap with high spout Made in Italy



GENESIS

Collegato ad un impianto di refrigerazione sottolavello e ad un kit di filtrazione, il nuovo rubinetto Genesis permette l'erogazione di acqua di rete liscia, fredda o ambiente, e gassata.

Connected to an under counter cooling system and to a filtration system, the new Genesis tap dispenses room temperature, cold and sparkling water.



014627



014629



Codice articolo Code Descrizione Description €

SS014627 Rubinetto Genesis ottone cromato a 3 vie a membrana + box valvole
Chrome-plated brass 3 ways Genesis tap membrane keyboard + valve box

SS014629 Rubinetto Genesis ottone cromato 3+2 vie touch + box valvole
Chrome-plated brass 3+2 ways Genesis tap touch keyboard + valve box

Dimensioni Dimensions Altezza dalla base all'uscita del rubinetto (mm) Height from the base to the tap's exit (mm)
285

NEW PACIFIC E PACIFIC

Colonna erogazione a comando meccanico a 3 selezioni per acqua naturale a temperatura ambiente, refrigerata, gassata refrigerata. Pacific: Corpo colonna in acciaio inox lucido New Pacific: corpo colonna sagomato in ottone cromato, disponibile anche con finiture in plastica.

Mechanical dispensing tower with 3 selections of room temperature still water, cold and cold sparkling water. New Pacific: Chrome plated brass body, available also with plastic finishing. Pacific: polished stainless steel body.

Diametro esterno Outer diameter 50 mm
Altezza Height 330 mm (Pacific) 320mm (new Pacific)



New Pacific



Pacific



Codice articolo Code Descrizione Description €

NWPCFCR New Pacific cromata Chrome-plated New Pacific

NWPCFCRPL New Pacific cromata / plastica Chrome-plated / plastic New Pacific

O10009 Pacific

ATLANTIC

Colonna erogazione a comando elettrico, 3 selezioni di cui due programmabili (acqua refrigerata e acqua gassata), con predosaggio di due formati (bicchiere/bottiglia).
Corpo colonna in acciaio inox lucido, box parti elettriche esterno, collegamenti alla colonna mediante connettori a sgancio rapido. Completa di 2 elettrovalvole. Disponibile con 1 o 2 punti d'erogazione.

Electrical dispensing tower with 3 selections, 2 (cold and sparkling water) with portion control to set up 2 different sizes (glass or bottle) for room temperature still water, cold and cold sparkling water.
Polished stainless steel body, external electric board, tower with quick connection fittings. Complete with 2 electric valves. Available with 1 or 2 dispensing taps.

Diametro esterno Outer diameter 100 mm
Altezza Height 565 mm




BEVCO

Codice articolo Code	Descrizione Description	€
ATLBS	Atlantic1 Way	
ATL2	Atlantic 2 Way	

EDEN NG

Colonna di erogazione a pulsanti, con design elegante e dimensioni compatte. Eroga tre acque: liscia a temperatura ambiente, liscia fredda e frizzante fredda. Tutte e tre le acque possono essere pre-programmate in due dosi (small/large). Scritta e testi personalizzabili, possibilità di scegliere fra quattro lingue (italiano, inglese, spagnolo, tedesco), inglese di default. Segnalazioni preimpostabili per cambio filtro e mancanza acqua. Due beccucci ad erogazione contemporanea.

Bush buttons dispensing tower, with elegant design and efficiently sized. It dispenses room temperature, cold and sparkling water. Portion control is possible on all 3 selections for 2 different doses (small/large). Labels and text settings can be personalized and are available in four languages (Italian, English, Spanish, German), English is the default. Possibility to set up alerts for filter replacement and water supply interruption.




CEM INDUSTRIES®
DISPENSING EQUIPMENT INNOVATION

Codi. Code	Descrizione Description			€
SS016227	Colonna Eden NG2 acciaio inox a 3 acque con due beccucci ad erogazione contemporanea + raccogli gocce Eden tower NG2 3 ways in stainless steel with 2 spouts for simultaneous dispensing + drip tray			
Dimensioni Dimensions	Altezza Height (mm)	Larghezza Width (mm)	Profondità Depth (mm)	
	455	180	240	

GENIUS

Collegato ad una colonna e ad un impianto sottolavello il nuovo rubinetto Genius permette l'erogazione di acqua di rete liscia fredda, liscia a temperatura ambiente, liscia calda e fredda gassata.

Connected to a tower and to an under counter cooling system, the new Genius tap dispenses room temperature, cold, sparkling and hot water.



CEM INDUSTRIES®
DISPENSING EQUIPMENT INNOVATION

Cod. Code	Descrizione Description	€
SS016385	Colonna Airone ottone cromato + modulo Genius touch con opzione acqua calda + box valvole Chrome-plated brass Airone tower + Genius touch module with optional hot water way + valve box	
Dimensioni Dimensions	Altezza Height (mm)	
	386	

PRINCESS


KIT COMPLETO COMPLETE KIT

Colonna Princess in ottone cromato lucido disponibile ad 1, 2 oppure 3 vie. Incluso rubinetto in plastica CMB oppure rubinetto cromato DRAFT. Inclusi medaglioni, distanziali e raccogliocce.
(Il rubinetto nell'immagine puramente indicativo)

Princess tower in chrome plated brass, available with 1, 2 or 3 ways. Plastic CMB tap or chrome plated DRAFT taps included. Badge holders, spacers and drip tray included.
(The images are for illustrative purposes only).

Filetto Thread 5/8"
Tubo alimentazione Water supply tube's diameter 8 mm

Codice articolo Code	Descrizione Description	€
PRS1CR588DFT	Kit col. Princess 1 via + DRAFT Kit Princess tower 1 way + DRAFT tap	
PRS1CR588CMB	Kit col. Princess 1 via + CMB Kit Princess tower 1 way + CMB tap	
PRS2CR588DFT	Kit col. Princess 2 vie + DRAFT Kit Princess tower 2 ways + DRAFT tap	
PRS2CR588CMB	Kit col. Princess 2 vie + CMB Kit Princess tower 2 ways + CMB tap	
PRS3CR588DFT	Kit col. Princess 3 vie + DRAFT Kit Princess tower 3 ways+ DRAFT tap	
PRS3CR588CMB	Kit col. Princess 3 vie + CMB Kit Princess tower 3 ways + CMB tap	



EVOLUTION


KIT COMPLETO COMPLETE KIT

Colonna Evolution in ottone cromato lucido disponibile ad 1, 2 oppure 3 vie. Incluso rubinetto in plastica CMB oppure rubinetto cromato DRAFT. Inclusi medaglioni, distanziali e raccogliocce.
(Il rubinetto nell'immagine puramente indicativo)

Evolution tower in polished chrome plated brass, available with 1, 2 or 3 ways. Plastic CMB tap or chrome plated DRAFT taps included. Badge holders, spacers and drip tray included.
(The images are for illustrative purposes only)

Filetto Thread 5/8"
Tubo alimentazione Water supply tube's diameter 8 mm

Codice articolo Code	Descrizione Description	€
EV1CR588DFT	1 via + DRAFT 1 way + DRAFT tap	
EV1CR588CMB	1 via + CMB 1 way + CMB tap	
EV2CR588DFT	2 vie + DRAFT 2 ways + DRAFT tap	
EV2CR588CMB	2 vie + CMB 2 ways + CMB tap	
EV3CR588DFT	3 vie + DRAFT 3 ways + DRAFT tap	
EV3CR588CMB	3 vie + CMB 3 ways + CMB tap	



ALLEGRA

Colonna Allegra in vitreous con finitura bianco lucido. Incluso rubinetto cromato DRAFT e raccogliogocce. Disponibile a 2 vie (a richiesta a 1 via).
(Il rubinetto nell'immagine è puramente indicativo)

Allegra tower in white polished vitreous material. Chrome plated DRAFT tap and drip tray included. Available in 2 ways version (1 way version on request).
(The images are for illustrative purposes only)

Altezza Height 48 cm
Larghezza Width 9 cm
Profondità Depth 9 cm

Rubinetti non inclusi Taps not included



Codice articolo Code	Descrizione Description	€
ALL2VT588C	Allegra Tower H2O	

SKY

KIT COMPLETO COMPLETE KIT
Colonna Sky in acciaio inox satinato a 3 vie. Incluso rubinetto in plastica CMB oppure rubinetto cromato DRAFT. Inclusi distanziali e raccogliogocce.
(Il rubinetto nell'immagine puramente indicativo)

Sky tower in satin-finished stainless steel with 3 ways. Plastic CMB tap or chrome plated DRAFT taps included. Spacers and drip tray included.
(The images are for illustrative purposes only)



Codice articolo Code	Descrizione Description	€
SKY3CR588RIN	SKY 3 vie + DRAFT SKY 3 ways + DRAFT tap	
SKY3CR588CMB	SKY 3 vie + CMB SKY 3 ways + CMB tap	

ACCESSORI ACCESSORIES

Codice articolo Code	Descrizione Description	€
BTTUB50	Bottiglia Tubo KEFASS vetro trasparente 50 cl H 205 Ø 68,7 mm (tappo escluso) Tubular bottle KEFASS transparent glass 50 cl H 205 Ø 68,7 mm (cap not included)	
BTTAPK	Tappo per bottiglia Tubo KEFASS 50 e 75 Cap for tubular bottle KEFASS 50 and 75	
BTTUB75	Bottiglia Tubo KEFASS vetro trasparente 75 cl H 291,8 Ø 68,7 mm (tappo escluso) Tubular bottle KEFASS transparent glass 75 cl H 291,8 Ø 68,7 mm (cap not included)	
BTMAX50	Bottiglia MAXIMA RDB vetro trasparente 50 cl H 196,8 Ø 85 mm (tappo escluso) Bottle MAXIMA RDB transparent glass 50 cl H 196,8 Ø 85 mm (cap not included)	
BTTAPM	Tappo alluminio per bottiglia MAXIMA RDB Aluminium cap for bottle MAXIMA RDB	
BTMAX100	Bottiglia MAXIMA RDB vetro trasparente 100 cl H 243 Ø 103,4 mm (tappo escluso) Bottle MAXIMA RDB transparent glass 100 cl H 243 Ø 103,4 mm (cap not included)	
SS010128	Bottiglia SO° in vetro 1l + tappo a vite argento Glass bottle SO° 1 l + screw silver cap	
RCO148OW	Riduttore pressione CO ₂ 1 via attacco laterale Anti ritorno e raccordo JG 5/16" CO ₂ Pressure reducer 1 way side connection, check valve and JG fitting 5/16"	
SR-371200	Riduttore pressione CO ₂ bombola usa&getta CO ₂ Pressure reducer for disposable tank	
SR-490781	Adattatore M11 per 1W21,8 per bombola ricaricabile M11 adaptor for 1W21,8 for rechargeable tank	



N700520	KIT riduttore di pressione CO ₂ per bombola 600g interna <i>CO₂ Pressure reducer kit for internal 600 g tank</i>
180008	Bombola CO ₂ gr 600 usa&getta <i>Disposable 600 g CO₂ tank</i>
890054	Bombola CO ₂ kg 1 con valvola residuale <i>CO₂ tank 1 kg with residual check valve</i> H 455 Ø 90 mm
890056	Bombola CO ₂ kg 2 con valvola residuale <i>CO₂ tank 2 kg with residual check valve</i> H 460 Ø 140 mmH 455 Ø 90 mm
890058	Bombola CO ₂ kg 4 con valvola residuale <i>CO₂ tank 4 kg with residual check valve</i> H 595 Ø 140 mm
SM004890	Valvola antiallagamento Water Block 3/4F x 3/4M <i>Shutoff valve Water Block 3/4F x 3/4M</i>
SM004891	Reset esterno per valvola antiallagamento Water Block <i>External reset for Water Block shutoff valve</i>
CTLCMP	Box contalitri <i>Water flow meter</i>

